Progressive Turf Equipment Inc.

United States

Superintendent Series

Wholegoods Price List

Pro-Flex 120B Rotary Contour Finishing Mower

Part No. Description List Price US \$

601205B RED Pro-Flex 120B Contour Finishing Mower \$21,875.00

602711B GREEN Pro-Flex 120B Contour Finishing Mower \$21,875.00

Green Pro-Flex's are available on a SPECIAL ORDER BASIS, and are subject to a 6 to 8 week shipping lead time Color must be specified at time of order

Primary Use: Golf Courses. Suited for rolling, uneven landscape.

Cutting Width: 10 Feet, (16" uncut circle).

Cutting Heights: Easy cutting height adjustment from 1" to 31/4".

Capacity: Cuts up to 6.5 acres/hr at speeds up to 6 mile/hr.

Tractor Specifications: Recommended PTO HP: 30-40 @ 540 RPM.

1 double acting outlet, all hoses supplied to tractor, hose ends included.

Standard Features: Some Assembly Required

5 Independent floating 28"diameter decks to follow all contours.

Quick adjust swivel hitch, allows mower to follow contours without interference from tractor.

Heavy-duty construction, open rear-discharge with adjustable deflectors.

Rubber damped, automatic belt tensioners on all belts.

Pro Lift-N-Turn[™] allows the operator to temporarily raise the decks slightly off the ground without stopping and with the PTO still engaged. Ideal for crossing cart paths or when engaging the PTO.

Puncture proof tires, 10"dia x 4"wide (4 per deck) mounted on greaseable tapered roller bearings.

Deck shock absorbers, able to cut at high speeds yet maintain consistent quality cut.

Able to cut while backing up, this allows cutting in corners and other hard to reach areas.

CV input shaft system for easy connection to any tractor.

Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut. Blade Speed 2633 RPM, Tip Speed 18,600 FPM.

Anti-Scalp Rollers on front and back of each deck. Anti-Scalp Skids on both sides of each deck.

Optional Equipment: Spare Parts Program Pricing Applies 606501 Mulch Kit complete with mulching blades \$463.90 606502 Mulch shut off plate kit (No mulch blades included) \$230.50 600518 Mulch Blade Kit (Four black left hand and one red right hand blades) \$236.90 600517 High Lift Blade Kit (Four black left hand and one red right hand blades) \$169.25 600524 Pro-Flex Belt Kit – for the complete mower \$380.00

Prices and specifications subject to change without notice. See 2016 Parts Price List.

Pro-Flex Roller 120B Rotary Contour Finishing Mower

Part No. Description List Price US \$

601205RB Pro-Flex Roller 120B Rotary Contour Mower \$24,900.00 Available in Red Only

Primary Use: Golf Courses, striping of roughs, and fairway use on some venues.

Cutting Width: 10 Feet, (16" uncut circle).

Cutting Heights: Easy cutting height adjustment from ½" to 3".

Capacity: Cuts up to 6.5 acres/hr at speeds up to 6 mile/hr.

Tractor Specifications: Recommended PTO HP: 30-40 @ 540 RPM.

1 double acting outlet, all hoses supplied to tractor, hose ends included.

Standard Features: Some Assembly Required

5 Independent floating 28"diameter decks to follow all contours.

Quick adjust swivel hitch and tongue, allows mower to follow contours without interference from tractor.

Heavy-duty construction, open rear-discharge with adjustable deflectors.

Fast and easy cutting height change.

3" diameter full width nylon rollers on front and rear of each deck.

Rubber damped, automatic belt tensioners on all belts.

Exclusive Progressive "Lift-N-Turn" system to assist in striping.

CV input shaft system for easy connection to any tractor

Deck shock absorbers, able to cut at high speeds yet maintain consistent quality cut.

Able to cut while backing up, this allows cutting in corners and other hard to reach areas.

Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut. Blade Speed 2633 RPM, Tip Speed 18,600 FPM.

Optional Equipment: Spare Parts Program Pricing Applies 606501 Mulch Kit complete with mulching blades \$463.90 606502 Mulch shut off plate kit (No mulch blades included) \$230.50 600518 Mulch Blade Kit (Four black left hand and one red right hand blades) \$236.90 600517 High Lift Blade Kit (Four black left hand and one red right hand blades) \$169.25 600524 Pro-Flex Belt Kit – for the complete mower \$380.00 Prices and specifications subject to change without notice. See 2016 Parts Price List. All wholegoods, options and parts are offered FCA Seaforth, Canada.

Model TD 65-2B Tri-Deck Finishing Mower

<u>Part No.</u> <u>Description</u> <u>List Price US \$</u>

526512B Model TD 65-2B Tri-Deck Finishing Mower \$17,950.00

Primary Use: Golf course roughs and fairways. Cutting Width: 12 Feet. (24" uncut circle).

Cutting Height: Easy cutting height adjustment from 1" to 5".

Capacity: Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr.

Tractor Specifications: Recommended PTO HP: 25-40 @ 540 RPM.

1 double acting outlet, all hoses supplied to tractor, hose ends included.

Standard Features: Some Assembly Required

Heavy-duty construction, open rear-discharge, easy cutting height adjustment.

Heavy-duty gauge wheel tires with tapered roller bearings.

Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut. Blade speed 3040 RPM. Tip speed 18,287 FPM.

Anti-Scalp Rollers, ten in total.

CV input shaft system for easy connection to the tractor

<u>Blades</u> - Choose one of the following, included in base price

☐ High Lift Fixed Blade ☐ Low Lift Fixed Blade

Optional Equipment:Spare Parts Program Pricing Applies522311Heavy Duty Transport Tires (Additional exchange price per set)\$218.85(in lieu of standard transport tires - minimum cutting height with these tires is 2")

	(in new of standard transport tires - minimum cutting neight with these tires is 2)	
521811	Spare - Heavy Duty Transport Tire (20.5 x 8 -4 ply) each	\$207.65
	(must order 2 if replacing standard tire - minimum cutting height with these tires is 2")	
521806	Rear Deflector Kit	\$420.55
522604	High Lift Blade Kit (replacement set of 7 fixed blades)	\$195.25
522607	Low Lift Blade Kit (replacement set of 7 fixed blades)	\$195.25
522506	Mulching Kit – (Requires 522612 Mulch Blade Kit)	\$661.55

522612 Mulch Blade Kit (set of 7 blades) \$246.85

Prices and specifications subject to change without notice. See 2016 Parts Price List.

TDR-12B Tri-Deck Roller Finishing Mower

Part No. Description List Price US\$

528712B Model TDR-12B Tri-Deck Roller Mower \$23,300.00

Primary Use: Golf course roughs and fairways.

Cutting Width: 12 Feet.

Cutting height: Easy cutting height adjustment from 1/2" to 4". Capacity: Cuts up to 8.7 acres/hr at speeds up to 6 mile/hr. Tractor Specifications: Recommended PTO HP: 25 to 40 @ 540 RPM.

1 double acting outlet, all hoses supplied to tractor, hose ends included.

Standard Features: Some Assembly Required

Heavy-duty construction, open rear-discharge, easy cutting height adjustment. Heavy-duty 6" dia. rollers supported by two 1.25" ductile flange bearings. Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut.

Blade speed 2912 RPM: Tip speed 18,287 FPM.

Transport tires: P275/60 SR15.

CV input shaft system for easy connection to any tractor

Optional Equipment:

Spare Parts Program Pricing Applies

High Lift Blade Kit (replacement set of 7 fixed blades)

\$195.25

(Five black left hand and two red right hand blades)

Prices and specifications subject to change without notice. See 2016 Parts Price List.

SDR-65 Three Point Hitch Finishing Mower

Part No. <u>Description</u> <u>List Price US\$</u>

531965 Model SDR-65 Three Point Hitch Roller Mower \$5,225.00

Primary Use: Golf Courses.

Cutting Width: 65"

Cutting Height: ½" to 4 inches with infinite number of adjusting heights.

Weight: 975 pounds

Tractor Specifications: Required PTO HP: 25 – 40 at 540 RPM

Note: Front weights will be required depending on tractor used.

We recommend 30 to 40 H.P. tractor be used, due to the weight of the mower

Standard Features: Some Assembly Required.

Heavy-duty construction, open rear discharge, easy cutting height adjustment. Heavy duty 6" dia. rollers supported by two 1.25" ductile flange bearings Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut.

Blade speed 3040 RPM: Tip speed 18,287 FPM

<u>Blades</u> - Choose one of the following, included in base price

☐ High Lift Fixed Blade ☐ Low Lift Fixed Blade

Optional Equipment:

Spare Parts Program Pricing Applies

522361 23" Low Lift Blade (three required) \$30.50 each

522360 23" High Lift Blade (three required) \$30.50 each

Prices and specifications subject to change without notice. See 2016 Parts Price List.

SDR-90 Three Point Hitch Finishing Roller Mower

Part No: Description List Price US\$

531990 Model SDR-90 Three Point Hitch Roller Mower \$6,800.00

Primary Use: Golf courses.

Cutting Width: 90".

Cutting Height: ½" to 4" with infinite number of adjusting heights.

Weight: 1400 pounds

Tractor Specifications: Required PTO HP: 35 – 50 @ 540 RPM

Note: Front weights on tractor may be required. We recommend that a 40 to 50 H.P tractor be used because of the weight of the mower.

Standard Features: Some Assembly Required

Heavy-duty construction, open rear discharge, easy cutting height

adjustment

Heavy-duty 6" dia. rollers supported by two 1.25" ductile bearings. Maintenance free blade spindle assemblies for reduced maintenance.

High lift blades for superior cut.

Blade speed 2890 RPM: Tip speed 18300 FPM.

Blades - Choose one of the following, included in base price

☐ High Lift Fixed Blade ☐ Low Lift Fixed Blade

Optional Equipment:

Spare Parts Program Pricing Applies

522365 24" Low Lift Blade (four required) \$31.10 each

522364 24" High Lift Blade (four required) \$31.10 each

Prices and specifications subject to change without notice. See 2016 Parts Price List.